

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**TRANSMITTAL
FORM**

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

5

Application Number

10/708,479

Filing Date

09/27/2004

First Named Inventor

Lloyd Ballard Mauldin

Art Unit

1711

Examiner Name

BOYKIN, TERRESSA M

Attorney Docket Number

ENCLOSURES (Check all that apply)

Fee Transmittal Form



Fee Attached



Amendment/Reply



After Final



Affidavits/declaration(s)



Extension of Time Request



Express Abandonment Request



Information Disclosure Statement



Certified Copy of Priority Document(s)

Reply to Missing Parts/
Incomplete ApplicationReply to Missing Parts
under 37 CFR 1.52 or 1.53

Drawing(s)



Licensing-related Papers



Petition

Petition to Convert to a
Provisional Application

Power of Attorney, Revocation



Change of Correspondence Address



Terminal Disclaimer



Request for Refund



CD, Number of CD(s) _____

☐ Landscape Table on CD

Remarks



After Allowance Communication to TC

Appeal Communication to Board
of Appeals and InterferencesAppeal Communication to TC
(Appeal Notice, Brief, Reply Brief)

Proprietary Information



Status Letter

Other Enclosure(s) (please identify
below):**SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT**

Firm Name

Chemical Products Corporation

Signature



Printed name

Jerry A. Cook

Date


May 1, 2006

Reg. No.

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Signature



Typed or printed name

Jerry A. Cook

Date

May 1, 2006

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Claims 1-18 were rejected under 35 U.S.C. 103(a) as being unpatentable over John H. Clements. This source does not give any indication that alkylene carbonates can react with esters or polyesters as is taught in Application Number 10/708,479. John H. Clements states, beginning at the last line of the first column on the first page, "The alkylene carbonates produced react with aliphatic and aromatic amines, alcohols, thiols, and carboxylic acids. Under certain conditions, they can also undergo ring-opening polymerization. It is the intent of the author to discuss each type of reaction in detail, from the reaction mechanism and conditions required to a brief description of the application in which each reaction finds utility." John H. Clements does not discuss any reaction between cyclic alkylene carbonates and ester or polyester moieties. Alkylene carbonates are said to increase the thermal stability of polyesters when carboxylic acid end groups are present on a polyester molecule. If the end member on either end of a Polyethylene Terephthalate(PET) polymer chain is terephthalic acid (as opposed to ethylene glycol, the other raw material for polymerization of PET), a carboxylic acid end group will be present which may participate in decomposition reactions with the polyester chain; alkylene carbonates are known to react with carboxylic acids and thereby convert the carboxylic acid group into a non-reactive ester group. There is no disclosure of any decomposition reaction involving alkylene carbonates and PET polyester as disclosed in the present application.

U.S. patents 4,327,207 and 4,348,314, assigned to Allied Corporation, teach the addition of small amounts of ethylene carbonate (EC) to PET, in the presence of a catalyst, to increase the temperature stability of the polymer. This long-term stabilization

effect is attributed to the reaction of the EC with carboxylic acid end groups because said carboxylic acid end groups are said to be reactive with the PET polymer chains. These patents do not disclose any PET decomposition or polymer chain degradation associated with the reaction of EC with the carboxylate groups on the ends of the PET polymer chains.

Examiner notes that John H. Clements discloses specifically that EC has been reacted with PET polyesters in an effort to reduce the acid number of the material. In the paragraph preceding Table 2 on the third page, John H. Clements states, "EC has been reacted with poly(ethylene terephthalate) (PET) polyesters in an effort to reduce the acid number of the material. PET polyesters are excellent materials for industrial conveyor belts that operate under heavy loads and at high speeds. However, degradation of the polymer can occur over time, resulting in reduced tensile strength and even visible cracking. Researchers at Allied discovered that a more chemically resistant material could be obtained simply by reacting the polymer with EC, thereby reducing the number of carboxylic acid end groups at which degradation typically occurs."²⁵ The modification procedure follows the polycondensation of dimethyl terephthalate or terephthalic acid with ethylene glycol and involves the addition of an alkali metal salt such as potassium iodide. Typically, 0.5-1.0 wt % EC is added and allowed to react at 280 °C for 5-15 min. The result is a material with an acid number of <3 (mg of KOH/g) as compared to approximately 20 for the untreated polymer." John H. Clements' reference 25 is U.S. patent 4,348,314.

The reaction of an alkylene carbonate with a carboxylic acid group is taught by John H. Clements to result in the formation of an ester. Figure 3 shows reaction of alkylene carbonate with carboxylic acid. This reaction would not degrade a PET molecule containing either one or two carboxylic acid end groups, but would simply increase the PET polymer chain length very slightly by adding one or two more ester linkages to the molecule. The Allied Corporation patents demonstrate that the physical properties of the polyester are enhanced by reaction with alkylene carbonate in the amounts and under the conditions taught.

Examiner further notes that it is already known that cyclic ester solvents such as cyclic alkylene carbonates may be used as solvents for PET in general. Prior art dissolution of polyesters in alkylene carbonates has been a physical process in which the polyester is chemically unchanged as demonstrated by the teachings that the PET can be precipitated from an alkylene carbonate solution to obtain a polymer capable of being substituted for virgin PET in the formation of PET fibers.

U.S. 4,118,187 to Sidebotham teaches the use of propylene carbonate as a solvent for polyester as a means of recovering polyester polymer for reuse in polyester fiber production. Column 3, line 16 states, "It is also preferred that solvents employed in this invention do not significantly degrade or depolymerize the polyester under conditions required for removal by evaporation."

U.S. 5,554,657 (Brownscombe) teaches the use of ethylene carbonate and propylene carbonate as solvents for polyester to recover polyester from a mixed polymer

waste while maintaining the integrity of the polyester polymer. Claim 13 begins, "A process for recovering a polyester polymer from a mixed polymer recycle stream, while maintaining the polyester polymer in polymer form, comprising", and specifically names ethylene carbonate and propylene carbonate as "selective solvents" in the third step of the process described in Claim 13.

Thus the prior art teaches dissolution of PET in alkylene carbonates as a physical process which is specifically taught to allow reprecipitation and recovery of PET in its original polymeric physical form.

Examiner states, "Thus, the reference discloses the decomposition of PET except for the specific use as dissolving "waste" PET which is often in the form of face fibers." Applicants wish to draw examiner's attention to the distinction between the dissolution taught in the prior art, a physical phenomenon which does not alter the PET chemically and allows for recovery of the intact polymer chains by cooling of the solvent, and the decomposition of PET taught in the present application, a chemical phenomenon which results in a material having substantially different characteristics, specifically in terms of its solubility or miscibility in cyclic alkylene carbonate.

Applicants respectfully request that Claims 1-18 be reconsidered and allowed.